



MATERIAL SAFETY DATA Vista Dental Products
17% EDTA (Ethylenediamine Tetraacetic Acid Disodium Salt Solution (in water))

SECTION 1 - PRODUCT IDENTIFICATION

Company Name: Inter-Med, Inc. /Vista Dental Products
2200 Northwestern Avenue
Racine, WI 53404
Phone: (877) 418-4782
Fax: (262) 636-9760
Prepared: 03-25-04

SECTION II - HAZARDOUS INGREDIENTS OF MIXTURES
(ND = NOT DETERMINED) (NA = NOT APPLICABLE)

Material	%	OSHA PEL	ACGIH TLV
None Known			

SECTION III - PHYSICAL DATA

Vapor Pressure, mm Hg: ND	Vapor Density (Air=1): ND
Evaporation Rate (ether=1): ND	% Volatile by Volume: ND
Solubility in H ₂ O: Slightly soluble	Boiling Point: ND
Specific Gravity (H ₂ O=1): ND	Appearance: Clear
Odor: NA	

SECTION IV - FIRE AND EXPLOSION

Flash point: ND
Flammable Limits: NA
Extinguishing Media: Water spray. Carbon Dioxide (CO₂). Dry chemical. Foam. Water can be used to cool fire exposed containers.
Special Fire Fighting Procedures: None.
Unusual Fire and Explosion Hazards: None

SECTION V - REACTIVITY DATA

Stability: Stable (x)
Incompatibility: (Materials to avoid) None
Hazardous Decomposition Products: None
Hazardous Polymerization: Will not occur (x)
Conditions to Avoid: Extreme Heat



MATERIAL SAFETY DATA Vista Dental Products

17% EDTA (Ethylenediamine Tetraacetic Acid Disodium Salt Solution (in water))

SECTION VI - HEALTH HAZARDS

OSHA Permissible Exposure Limit: None

ACGIH Threshold Exposure Limit: None

Carcinogen, due to the presence of saccharin, Listed in: NTP: OSHA: IARC Monograph:

(X) Not Listed

Other Exposure Limit Used: None

Chronic, Other: None

Acute and chronic: Irritation to eyes and skin. Ingestion may cause vomiting, diarrhea, hemolysis, liver damage.

Medical Conditions Generally Aggravated by Exposure: None known

Primary Route(s) of Exposure: Skin, ingestion

SECTION VII - EMERGENCY AND FIRST AID PROCEDURES

Skin: Wash with soap and water for 15 minutes. Get medical aid.

Ingestion: If conscious and alert give 2 – 4 glasses of milk or water. Contact Poison Control Center. Get medical aid.

Eyes: Immediately flush with water for 15 minutes. Get medical aid.

Inhalation: Remove to fresh air. Get medical aid if needed.

SECTION VIII - SPILL OR LEAK PROCEDURES

Handling: No special precautions.

Storage: Keep container closed and away from heat, sparks, and open flame.

Spill Management: Wash contaminated surfaces with soap and water.

Waste Disposal Methods: Dispose of safely in accordance with local, state and federal regulations.

SECTION IX - PROTECTION INFORMATION/CONTROL MEASURES

Respiratory: None required

Eye Protection: Safety Goggles

Gloves: Optional

Ventilation: None required

Other Clothing and Equipment: Lab coat to protect clothing

Avoid excessive heat.

Prior to use, the user shall determine the suitability of use for this product.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Inter-Med Inc. / Vista Dental Products be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Inter-Med Inc. / Vista Dental Products has been advised of the possibility of such damages.